# KNEE BRACE VQ ORTHO CARE TLD 7000 SERIES ALUMINUM FRAME is light, slim and durable LIGHTWEIGHT MEDICAL GRADE knee brace TIBIAL DOCKING SYSTEM<sup>™</sup> provides secure tibial control AUTOCONFORM ALUMINUM-CORE WINGS adapt to anatomy INTEGRATED PCL STRAP delivers increased stability ADJUSTABLE Flexion and Extension Stops FULL COVERAGE PATELLA GUARD is removable for washing MOISTURE WICKING frame liners, condyle pads and strap pads keep you cool and comfortable OPEN MEDIAL UPPER AND LOWER SHELLS provide maximum clearance and comfort CE REGISTERED 1 YR LIMITED WARRANTY



COLE SEELY TRAVIS BAKER CHRISTIAN CRAIG BRENDAN FAIRCLOUGH JEFF WARD









Toyles Dergen

1

#### SIZES AND CIRCUMFERENCE:

| CATALYST X     | S         | М         | L                    | XL          | XXL       |
|----------------|-----------|-----------|----------------------|-------------|-----------|
| 6" ABOVE MID-P | 14.5"-17" | 17"-19.5" | 19.5" <b>-22</b> .5" | 22.5"-25.5" | 25.5"-30" |
| MID-PATELLA    | 11.5"-13" | 13"-15"   | 15"-17"              | 17"-19"     | 19"-22"   |
| 6" BELOW MID-P | 11.5"-13" | 13"-14.5" | 14.5"-16.5"          | 16.5"-18.5" | 18.5"-22" |

#### **TLD KNEE BRACE SET**

| COLOR | PART#     |    | М  |    | XL | 2XL |
|-------|-----------|----|----|----|----|-----|
| WHITE | 1241-01** | 80 | 09 | 10 | 11 | 12  |



THE ULTIMATE CHEST PROTECTOR SPECIFICALLY DEVELOPED TO INTEGRATE WITH INDUSTRY LEADING LEATT NECK BRACES without compromising fit, protection or rider safety. Exclusively designed to allow Leatt neck braces to nest properly against a rider's chest and back. Tested by top pros and elite amateurs, our innovative patent pending design gives riders the power to choose from multiple configurations for customized comfort and fit, unobstructed motion, and unprecedented protection. In other words, the 5955 sets a new standard in the Moto industry.





# TECHNOLOGY ICON REFERENCE GUIDE









































# BODYGUARD 5955





NECK BRACE INTEGRATION patent-pending design is compatible with leading neck braces without compromising fit and protection



MAXIMUM

**PROTECTION LEVEL** 

MINIMUM

3

E

VENT-TRAK circulates air through flexible channel over the skin surface to cool the rider



- 1 OVER 50 CONFIGURATIONS adapt to rider preference for custom fit and protection
- 2 LOW PROFILE DESIGN eliminates bulk to fit under or over jersey
- 3 HINGED CHEST PLATES provide extended rib coverage, better fit and maintains proper positioning in crash situations
- 4 Covers the chest, ribs, back, clavicle, shoulders and upper arms. Convenient strap locations and integrated fast-lock buckles for easy function.
- 5 PATENT PENDING

SHEFER

| COLOR | PART#     | YOUTH<br>(34-35) | M<br>(36-38) |    |
|-------|-----------|------------------|--------------|----|
| WHITE | 5200-01** |                  | 09           | 10 |
| BLACK | 5200-02** |                  | 09           | 10 |







**BODYGUARD 5900** NECK BRACE INTEGRATION patent-pending design is compatible with leading neck braces without compromising fit and protection VENT-TRAK circulates air through flexible channel over the skin surface to cool the rider VENTED SOFT-YOKE CONNECTION between front and back plates offers unprecedented fit and comfort

- 1 LOW PROFILE DESIGN eliminates bulk to fit under or over jersey
- 2 HINGED CHEST PLATES provide extended rib coverage, better fit and maintains proper positioning in crash situations
- 3 Covers the chest, ribs, back, clavicle. Convenient strap locations and integrated fast-lock buckles for easy function.

| 4 | PATENT PEN | IDING     |                  |    |          |
|---|------------|-----------|------------------|----|----------|
|   |            | s.        |                  |    |          |
|   |            | PART#     | YOUTH<br>(34-35) |    |          |
|   | VHITE      | 5203-01** | 08               | 09 | (40<br>1 |
|   |            |           |                  |    |          |

New upper back panel has a bigger notch cutout for improved fit with a Leatt Brace



CLEAR



## ROOST GUARD 3955

NECK BRACE INTEGRATION patent-pending design is compatible with leading neck braces without compromising fit and protection

VENT-TRAK circulates air through flexible channel over the skin surface to cool the rider

- 1 ANATOMICAL DESIGN and flexibility provides ideal fit and unobstructed motion
- 2 LOW PROFILE DESIGN eliminates bulk to fit under or over jersey Covers the chest, ribs, back, clavicle, shoulders and upper arms. Removable upper chest, lower abdominal, shoulder extension, spine and biceps pads for rider preferences.

PATENTS PENDING.

g Sheffar

| COLOR | PART#     | S/M | L/XL |
|-------|-----------|-----|------|
| BLACK | 5240-02** | 09  | 10   |



Shatterproof plastic
 Removable shoulder cups to allow use as an under-protector
 Adjustable shoulder straps allow a custom fit for everyone
 Heavy-duty buckles and side straps for easy entry and removal
 Color-matched biofoam padding redesigned for the Bodyguard2
 Biofoam is removable to allow for washing or replacement
 Improved snaps on the Bodyguard2 biofoam

| RT#     |    |    | ADULT<br>S/M | ADULT<br>L/XL |  |
|---------|----|----|--------------|---------------|--|
| 15-21** | 01 | 02 | 03           | 05            |  |

#### **BIOFOAM** REPLACEMENT

|        | PART#     |    | YTH<br>L/XL | ADULT<br>S/M |    |
|--------|-----------|----|-------------|--------------|----|
| SILVER | 3517-21** | 01 | 02          | 03           | 05 |
| BLACK  | 3517-02** | 01 | 02          | 03           | 05 |
| BLUE   | 3517-03** | 01 | 02          | 03           | 05 |
| RED    | 3517-04** | 01 | 02          | 03           | 05 |

#### SHOULDER REPLACEMENT

| COLOR  | PART#     | YTH | ADULT |
|--------|-----------|-----|-------|
| WHITE  | 3516-01** | 02  | 05    |
| BLUE   | 3516-03** | 02  | 05    |
| RED    | 3516-04** | 02  | 05    |
| GRAY   | 3516-17** | 02  | 05    |
| GOLD   | 3516-20** | 02  | 05    |
| SILVER | 3516-21** | 02  | 05    |
|        |           |     |       |





VENTED FOAM FOR EXTENDED COVERAGE in the lower abdomer lower ribs/sides & lower back v/sides. All of these ext areas were done with key fle oints maintained, so that while here's more coverage than the 5850, the comfort while riding isn'



VESTS SLEEVELESS



| 10                                   |          | IED FUA   | MFURE     | (IENDE     | 0.00   |
|--------------------------------------|----------|-----------|-----------|------------|--------|
| Ð                                    | NEC      | K BRACE   | INTEGR    | ATION      |        |
| Ň                                    | STR      | ATA-FOA   | м 🚿       | 🚯 VE       | NT-1   |
|                                      | , HEX    | -MESH     | $\subset$ | ) re       | MOV    |
| 1 Op                                 | pen arm  | pit desig | n         |            |        |
| 2 W                                  | ide neck | copening  | for com   | fort       |        |
| 3 Ar                                 | natomica | al design | w/ integ  | rated pro  | otecti |
| 4 P/                                 | ATENTS   | PENDIN    | G         |            |        |
| 4                                    |          |           |           |            |        |
| YOU <sup>-</sup><br>PAR <sup>-</sup> |          |           | L<br>(28) | XL<br>(30) |        |
| 5231                                 |          | 05        | 06        | 07         |        |
|                                      |          |           |           |            |        |
| PAR<br>5231                          |          | 08        | 09        | 10         | 1      |
|                                      |          |           |           |            |        |



| PROTECTION | HOT WEATHE<br>VEST 380<br>UPV 3800-HW | R<br>IO    |            |
|------------|---------------------------------------|------------|------------|
| Ø          | NECK BRACE IN                         | TEGRATIC   | N          |
| e)((e)     | STRATA-FOAM                           |            | VENT       |
| ***        | HEX-MESH                              | $\bigcirc$ | REMO       |
| 1 Wid      | e neck opening for                    | comfort    |            |
| 2 Ana      | tomical design w/                     | integrated | protection |
| 3 PAT      | ENTS PENDING                          |            |            |
| 4          |                                       |            |            |
|            |                                       |            |            |

| OUTH<br>ART#<br>232-02** | M<br>[26]<br>05    | L<br>[28]<br>06    | XL<br>(30)<br>07   |          |
|--------------------------|--------------------|--------------------|--------------------|----------|
| DULT<br>ART#<br>232-02** | S<br>(34-35)<br>08 | M<br>(36-38)<br>09 | L<br>(40-42)<br>10 | )<br>[44 |



Sales Are







655



REMOVABLE ARMOR



- 1 Open armpit design
- 2 Wide neck opening for comfort
- 3 Anatomical design w/ integrated protection zones 4 PATENTS PENDING
- 5 SHEFFAR





THE IN



VERAGE

TRAK ABLE ARMOR

zones











PHOTECTION

## VICTORY GUARD

NECK BRACE INTEGRATION



VENTED FOAM FOR EXTENDED COVERAGE

- 1 Specifically designed to work with leatt brace
- 2 Protective bio-foam padding on chest and back
- 3 Breathable stretch mesh side panels for maximum ventilation
- 4 Form fitting, comfortable lycra body material
- 5 Lightweight TPR logos

1211

| СС | LOI |   |  |
|----|-----|---|--|
| BL | AC  | K |  |

| 02** | 09 |
|------|----|







 $\otimes$ 



PROTECTION

2 Integrated crotch chamois pad

5220-02\*\* 24 26

X-FIT™

STRATA-FOAM

VENT-TRAK

1 Inner thigh pads

G SHEFKR

Shorts 7605




|  | PROT | 5<br>ECTION<br>Vel |
|--|------|--------------------|
|  | Ň    | <b>*</b>           |
|  | 1    | Out                |
|  | 2    | Inne               |
|  | 3    | Inte               |
|  |      | 4                  |





5 SHETCR

# PROTECTION PANTS 7705



 $\otimes$ 



- VENT-TRAK moves air through flexible channels over skin surface to cool the athlete
- 1 INNER THIGH PADS enhance seat comfort and protection from chafing
- 2 INTEGRATED CROTCH CHAMOIS PAD sized specifically for motorcycle seats
- 3 FULL LENGTH LEG eliminates need for knee sleeves used with knee braces and knee guards
- 4 Designed for comfort and unrestricted motion in the riding position. Constructed with premium Lycra® 4-way stretch anti-microbial material for compression and moisture wicking. Includes flat lock seams and comfort fit waisthand
- 5 PATENTS: D548,928 (USA), 115952 (CAN) & 6,161,222. Additional patents pending.

SHEFER.

|           | M<br>[24-26] |    |    |    |    |  |
|-----------|--------------|----|----|----|----|--|
| 5210-02** | 24           | 26 |    |    |    |  |
| ADULT     | XS           |    |    |    | XL |  |
| PART#     |              |    |    |    |    |  |
| 5210-02** | 28           | 30 | 32 | 34 | 36 |  |

# PROTECTION PANTS 5705

5 BEEFER

- X-FIT™ integrates a wraparound external supporter for unparalleled comfort and fit
- 1 OUTER THIGH PADS offer low profile protection
- 2 INNER THIGH PADS enhance seat comfort and protection from chafing
- 3 FULL LENGTH LEG eliminates need for knee sleeves used with knee braces and knee quards
- 4 INTEGRATED CROTCH CHAMOIS PAD sized specifically for motorcycle seats
- 5 FULL LENGTH LEG eliminates need for knee sleeves used with knee braces and knee guards
- 6 Designed for comfort and unrestricted motion in the riding position. Constructed with premium Lycra® 4-way stretch anti-microbial material for compression and moisture wicking. Includes flat-lock seams and comfort fit waistband.
- 7 PATENTS: D548.928 (USA), 115952 (CAN) & 6.161.222

#### YOUTH M L PART# [24-26] [26-28] 5212-02\*\* 24 26 5212-02\*\* 28 30 32 34 36




Adding the state

 $\otimes$ 

- LIGHTWEIGHT 4-WAY STRETCH MATERIAL breathes for maximum ventilation in hot weather
- 1 OUTER THIGH PADS offer low profile protection
- 2 INNER THIGH PADS enhance seat comfort and protection from chafing
- for motorcycle seats
- 4 FULL LENGTH LEG eliminates need for knee sleeves used with knee braces and knee guards
- 5 Designed for comfort and unrestricted motion in the comfort fit waistband
- 6 PATENTS: D548,928 (USA), 115952 (CAN) & 6,161,222

5 SHEFFR





| P 5705-HW   |  |
|---|--|
| FIT™ integrates a wraparound e<br>pporter for unparalleled comfor |  |

- 3 INTEGRATED CROTCH CHAMOIS PAD sized specifically
- riding position. Constructed with premium Lycra® 4-way stretch anti-microbial material for compression and moisture wicking. Includes flat-lock seams and



SHURTS 3600

X-FIT™

1 OUTER THIGH PADS

2 NO-SLIP LEG HEM

5223-02\*\* 24 26

5223-02\*\* 28 30 32 34 36

5220-02\*\* 28 30 32 34 36



#### X-FIT™

- er thigh pads
- thigh pads
- rated crotch chamois pad








- 1 Relaxed-fit design
- 2 Anatomical foam pattern
- 3 Tapered leg
- 4 Integrated hip, thigh, tailbone impact zones

S SHEFFAR





# SHURTS 1600

- 1 Designed for comfort and unrestricted motion in the riding position.
- 2 Premium Lycra® 4-way stretch anti-microbial material for compression and moisture wicking.
- 3 Includes flatlock seams and comfort fit waistband.







- DOUBLE LAYER THIGH COMPRESSION integrates double layer side panels for extra protection
- 2 LOW RISE CUT designed with comfort fit waist band and a 7" inseam specifically for women riders
- 3 LEG GRIPPERS stretch and adjust to keep shorts from riding up
- 4 Constructed with premium Lycra® 4-way stretch anti-microbial material for compression and moisture wicking. Includes flatlock seams and comfort fit waistband.

4 SHEFKR

| PART#     |    |    |    |
|-----------|----|----|----|
| 5225-02** | 08 | 09 | 10 |





BRIAN LOPES MTB LEGEND



## **LOPES** KNEE GUARDS

TLD was privileged to work with 4-time UCI World Champ and 9-time NORBA Champ Brian Lopes to develop this unique knee guard system created from Lopes' personal handmade knee guards which he used with great success.

 $\sim$ HARD ARMOR

- VENTED FOAM FOR MAXIMUM BREATHABILITY
- 1 Red plastic with black contrast padding and large signature logo
- 2 Unique two-piece system combining an inner neoprene sleeve
- 3 Custom molded outer polycarbonate guard with ventilation foam sewn in
- 4 Breathable, ergonomic fit

RED

- 5 Short version suits riders who are under 6' tall
- 6 Standard version suits riders who are over 6' tall

## WHITE

PART#S/ML/XLXL/2XL1247-01\*\*0001021247-04\*\*000102

## **LOPES** KNEE GUARDS - REPLACEMENT SLEEVE

VELCRO AREA

BLACK 1248-01\*\* 00 01 02

#### **KNEE GUARDS 5450** LONG X-FIT™ STRATA-FOAM VENT-TRAK 1 Mesh construction provides airflow and ightweight 2 Internal high-impact knee cap 3 Lycra® low-compression zones in a strapless, tapered 4 No-slip internal grip zones 5 Rugged woven aramid internal material resists abrasions

4 SHETAR

5260-02\*\* 07 08 09 10



#### PROTECTION **COMBAT** KNEE GUARDS

HARD ARMOR

VENTED FOAM FOR MAXIMUM BREATHABILITY

1 Polycarbonate plastic sewn to ventilation foam for the best protection and breathability

2 Unique solid top strap to keep guards in place 3 Short version suits riders who are under 6' tall 4 Standard version suits riders who are over 6' tall

1277-12\*\* 00 03 7 XL/XXL 357-2\*\*

PROTECTION

1 Comfort

2 Breathal

3 Flexible

4 SM/MD

5 MD/LG

6 LG/XL







| PROTECTION | KNEE GUARDS 5400 SHL<br>Kgs5400               |
|------------|---|
| $\sim$     | X-FIT™  |
|            | STRATA-FOAM                                   |
| )))(A)     | VENT-TRAK                                     |
| 1 Mesh     | construction provides airflow and lightweight |
| 2 Interi   | nal high-impact knee cap                      |
| 2 1        | @ la  |

- Lycra® low-co elastic sleeve
- 4 No-slip internal grip zones
- 5 Rugged woven aramid internal material resists abrasions

| PART #    | XS |    | м  |    |
|-----------|----|----|----|----|
| 5261-02** | 07 | 08 | 09 | 10 |



## T-BONE KNEE GUARDS

| GHT ARMOR  |                              |           |          |  |  |
|------------|------------------------------|-----------|----------|--|--|
| ble strear | nline fit                    |           |          |  |  |
| le airpren | e constru                    | uction    |          |  |  |
| nd padde   | d guards                     | for all s | ports    |  |  |
| thigh      | = 14-16"                     | calf      | = 11-13" |  |  |
| thigh      | thigh = 15-17" calf = 12-14" |           |          |  |  |
| thigh      | = 16-18"                     | calf      | = 13-15" |  |  |
| thigh      | = 17-19"                     | calf      | = 14-16" |  |  |
| S/M        | M/L                          | L/XL      | XL/2XL   |  |  |
| 03         | 05                           | 07        | 09       |  |  |
|            |                              |           |          |  |  |





## **KNEE GUARDS**

HARD ARMOR



VENTED FOAM FOR MAXIMUM BREATHABILITY

- 1 Polycarbonate plastic sewn to ventilation foam for the best protection and breathability
- 2 Ergonomically designed fit and protection
- 3 Youth thigh = 8-13" ankle = 4-7"
- 4 Adult thigh = 14-26" ankle = 8-18"

| PART #    | YOUTH |
|-----------|-------|
| 1257-12** | 00    |

01







| PROTECTION | <b>SE</b> Elbo' | W GUARDS      |                |            |
|------------|-----------------|---------------|----------------|------------|
|            | HARD ARM        | 10R           |                |            |
| $\bigcirc$ | VENTED F        | or maximun    | I BREATHABILIT | Y          |
| 1 Tapere   | d lycra slee    | ve            |                |            |
| 2 Perfor   | ated bio-foa    | m padding     |                |            |
| 3 Polyca   | rbonate elb     | ow and forear | m guard        |            |
| Height     |                 | Yth - 14"     | SM/MD - 16.5"  | LG/XL- 1   |
| Top Lycra  | a Diam          | Yth- 3.5"     | SM/MD - 5"     | LG/XL-6    |
| Mid Lycra  | a Diam          | Yth- 2.75"    | SM/MD - 4.75"  | LG/XL-6    |
| Bot Lycra  | Diam            | Yth- 2.75"    | SM/MD - 3.25"  | LG/XL-3    |
| Top Lycra  | a Length        | Yth- 2.25"    | SM/MD - 3.5"   | LG/XL-4    |
| Bio-foam   | Length          | Yth- 10.5"    | SM/MD - 11.5"  | LG/XL-1    |
| Bot I vera | Length          | Yth- 2 25"    | SM/MD - 3.5"   | I G/XI - 4 |

7.75"

.75 .75 1.5

| COLOR | PART#     | YOUTH |    |    |
|-------|-----------|-------|----|----|
| WHITE | 1260-01** |       | 01 | 02 |
| BLACK | 1260-02** |       | 01 | 02 |





GRAY

**ELBOW GUARDS** 

ntilated foarr fit and protectio

Forearm = 3-7" Forearm = 5-11

|        | Polycarbonate plastic backed wit |
|--------|----------------------------------|
| $\sim$ | ergonomically designed for bette |
| 3      | Youth Lower Biceps = 5-10"       |
|        | Adult Lower Biceps = 8-16"       |
|        |                                  |

1267-12\*\* 00 01



| 5     | ELBO     | N GUAF | RDS 55 | <b>50</b> Long |
|-------|----------|--------|--------|----------------|
| ÇTION | ECI 5550 |        |        |                |

#### X-FIT™

STRATA-FOAM

#### VENT-TRAK

- 1 Mesh construction provides airflow and lightweight
- 2 Internal high-impact protection elbow cap
- 3 Forearm guard extends protection
- 4 Lycra® low-compression zones in a strapless, tapered elastic sleeve
- 5 No-slip internal grip zones 6 Rugged woven aramid internal material resists abrasions
- SHEFFAR

5250-02\*\* 07 08 09 10



|          |             | .BO<br>3 550 | GU | A | RD | 55 | <b>i</b> 50 | 0 8 | SHO | DRI |  |
|----------|-------------|--------------|----|---|----|----|-------------|-----|-----|-----|--|
|          | 「<br>「<br>「 | XS           | S  |   |    |    |             |     |     |     |  |
| 5251-02* | *           | 07           | 80 |   | 09 |    | 10          |     |     |     |  |







- STABILITY SYSTEM
- 1 Extended wrist support enhances flex limits
- 2 Adjustable 3-strap closure ensures personal fit
- 3 Glove compatible design for unobstructed grip
- 4 Vented neoprene construction with reinforced binding 5 A close-fitting micro-fiber synthetic leather palm

#### 4 SHEFFAR

| LEFT  | 5270-01** | 08 | 09 | 10 |
|-------|-----------|----|----|----|
| RIGHT | 5270-02** | 08 | 09 | 10 |







#### STABILITY SYSTEM

- 1 Hex-mesh disperses impact with a dimensional mesh construction that allows air to flow freely
- 2 Tpr rubber and molded foam integration provides comfortable support and impact protection
- 3 Anatomical design supports lower back and kidney area without Inhibiting mov
- 4 Progressively tapered wrap minimizes material in the abdominal area 5 3 Strap retention system ensures ideal rider fit
- 6 Lightweight and low-profile to fit comfortably over moto pant waist

#### G SHEFFAR

| SIDE    | PART#     | YOUTH |    |    |
|---------|-----------|-------|----|----|
| 3LK/GRY | 5280-17** | 06    | 08 | 10 |
| VHT/BLK | 5280-01** | 06    | 08 | 10 |
| RED/BLK | 5280-04** | 06    | 08 | 10 |







STABILITY SYSTEM

1 Extended wrist support enhances flex limits

2 Glove compatible design for unobstructed grip

g Sheftar

| LEFT  | 5271-01** | 08 | 09 | 10 |
|-------|-----------|----|----|----|
| RIGHT | 5271-02** | 08 | 09 | 10 |







# **TLD** LUGGAGE

adino 1

ñ



#### **SE** gear bag

- 1 L-33" x H-18.5" x W-15"
- 2 Removable padded shoulder strap
   Outer pockets constructed with open holed grommets for ventilation
   Available with (wheeled) or without wheels (standard)
- 5 Heavy-duty railed bottom adds extra rigidity and strength
  6 New sublimated print patterns

| COLOR  | WHEELED   | STANDAR  |
|--------|-----------|----------|
| MEDUSA | 2302-4000 | 2312-400 |
| BLACK  | 2302-0200 | 2312-020 |
| RED    | 2302-0400 | 2312-040 |
| BLACK  | 2302-0200 | 2312-020 |



#### **BASIC** BACK PACK

- W-13" x H-19" x D-8" Padded air-mesh back pads
   Separate sunglass pocket w/ soft sherpa lining
   Heavy-duty nylon construction with 8 compartments
   Water bottle holder with draw-string closure
   Padded shoulder strap w/ 2 streamlined IPod/cell pockets
- BLACK 2352-0200



#### FLIGHT BAG

- W-22" x H-10" x D-14"
   15" retractable handle
   Designed to fit as a carry-on-bag for flight travel
   Expandable pocket with zippered closure
   Wide base rollers for stability
- 6 3 compartments
- BLACK 2329-3000





#### SE2 HELMET BAG

1 W-16" x H-11" x D-12" 2 Heavy duty carrying strap 3 Micro fleece liner 4 Full-length heavy duty zipper 5 2 external storage pockets

BLACK

2368-0200

#### **SE** HELMET BAG

- 1 W-9" x H-11" x D-13"
- 2 Heavy duty carrying strap 3 Micro fleece liner
- 4 Dual zippers for easy access

BLACK

2358-0200



### **JET** BAG

- W-23" x H-12" x D-11.5"
   3 compartments, 2 of which are vented
   Heavy-duty nylon construction with PVC water resistant backing
   Heavy-duty zippers and hardware
   Removable shoulder strap



2338-0200


#### **DUFFLE** BAG

- 1 W-28" x H-16" x D-16"
- 2 Heavy duty canvas Miltary-style duffel bag
   3 Skull Head zipper pulls and custom signature plates
   4 Contrast red stitching

ARMY GREEN 2371-3900

95





Attention to detail.





That's what we at TLD strive for and our line of denim is no exception. Fit is critical when it comes to a great pair of jeans and we sure did work hard to bring you the best fitting jeans in the market. Enjoy.